## Total number of printed pages-20

## 3 (Sem-3/CBCS) MAT HG 1/2/RC

#### 2023

### **MATHEMATICS**

(Honours Generic/Regular)

Answer the Questions from any one Option.

#### OPTION-A

Paper: MAT-HG-3016/MAT-RC-3016

(Differential Equation)

#### OPTION-B

Paper: MAT-HG-3026

(Linear Programming)

Full Marks: 80

Time: Three hours

The figures in the margin indicate full marks for the questions.

#### OPTION-A

Paper: MAT-HG-3016 / MAT-RC-3016

# (Differential Equation)

Answer either in English or in Assamese.

- Answer the following questions: 1×10=10
   তলত দিয়া প্ৰশ্নবোৰৰ উত্তৰ দিয়া :
  - (a) Define order and degree of an ordinary differential equation.

    সাধাৰণ অৱকল সমীকৰণৰ ক্ৰম আৰু ঘাতৰ সংজ্ঞা লিখা।
  - (b) What do you mean by an ordinary differential equation? Give one example.
    সাধাৰণ অৱকল সমীকৰণ বুলিলে কি বুজা? এটা উদাহৰণ দিয়া।
  - (c) Define exact differential equation.
    যথাৰ্থ অৱকল সমীকৰণৰ সংজ্ঞা লিখা।
  - (d) Obtain the differential equation of family of parabolas given by  $y^2 = 4ax$  .  $y^2 = 4ax$  অধিবৃত্তৰ পৰিয়ালটোৰ অৱকল সমীকৰণটো গঠন কৰা।

- (e) Write the condition of exactness of an ordinary differential equation.
  এটা সাধাৰণ অৱকল সমীকৰণৰ যথাৰ্থতাৰ চৰ্ত লিখা।
- (f) Find the integrating factor of  $\frac{dy}{dx} + \frac{y}{x} = \cos x.$ 
  - $\frac{dy}{dx} + \frac{y}{x} = \cos x$ , ৰ অনুকলন গুণক নিৰ্ণয় কৰা।
- (g) Define orthogonal trajectory of a family of curve.
   এটা বক্র পৰিয়ালৰ লাম্বিক প্রক্ষেপপথৰ সংজ্ঞা লিখা।
- (h) Write the complementary function of  $(D^2 + 4)y = x^2$ .
  - $\left(D^2+4\right)y=x^2$  অৱকল সমীকৰণটোৰ পৰিপূৰক ফলনটো লিখা।
- (i) Write the general form of a linear differential equation of n<sup>th</sup> order.
   এটা n মাত্ৰাৰ ৰৈখিক অৱকল সমীকৰণৰ সাধাৰণ ৰূপটো লিখা।

(i) If  $y_1 = \sin 2x$  and  $y_2 = \cos 2x$ , then find the Wronskian of  $y_1(x)$  and  $y_2(x)$ .

যদি  $y_1=\sin 2x$  আৰু  $y_2=\cos 2x$ ় তেন্তে $y_1(x)$  আৰু  $y_2(x)$  ৰ Wronskian নিৰ্ণয় কৰা।

- 2. Answer the following questions: 2×5=10
  তলত দিয়া প্ৰশ্নবোৰৰ উত্তৰ দিয়াঃ
  - (a) Determine the particular integral of the differential equation

$$\frac{d^2y}{dx^2} + \frac{dy}{dx} + 1 = \sin 2x.$$

 $\frac{d^2y}{dx^2} + \frac{dy}{dx} + 1 = \sin 2x$  অৱকল সমীকৰণটোৰ ু

(b) Derive the orthogonal trajectory of  $xy = a^2$ .

 $xy = a^2$ , ৰ লাম্বিক প্ৰক্ষেপপথ নিৰ্ণয় কৰা।

(c) Find the integrating factor of the differential equation 
$$(x^2y - 2xy^2)dx - (x^3 - 3x^2y)dy = 0$$
 
$$(x^2y - 2xy^2)dx - (x^3 - 3x^2y)dy = 0$$
 অৱকল সমীকৰণটোৰ অনুকলন গুণক নিৰ্ণয় কৰা।

(d) Solve: 
$$\frac{dx}{y^2} = \frac{dy}{x^2} = \frac{dz}{x^2 y^2 z^2}$$
সমাধান কৰা ঃ  $\frac{dx}{y^2} = \frac{dy}{x^2} = \frac{dz}{x^2 y^2 z^2}$ 

(e) Solve: 
$$\frac{d^2y}{dx^2} + 4\frac{dy}{dx} + 13y = 0$$
সমাধান কৰা ঃ  $\frac{d^2y}{dx^2} + 4\frac{dy}{dx} + 13y = 0$ 

3. Answer the following: (any four) 5×4=20 তলত দিয়া প্ৰশ্নবোৰৰ উত্তৰ দিয়া ঃ (যিকোনো চাৰিটা)

(a) Solve: 
$$x^2 \frac{d^2y}{dx^2} - 3x \frac{dy}{dx} + 4y = 2x^2$$
সমাধান কৰা ঃ  $x^2 \frac{d^2y}{dx^2} - 3x \frac{dy}{dx} + 4y = 2x^2$ 

5

(b) Find the orthogonal trajectories of the series of hypocycloid  $x^{2/3} + y^{2/3} = a^{2/3}$ .

 $x^{2/3} + y^{2/3} = a^{2/3}$ , পৰিয়ালটোৰ লাম্বিক প্ৰক্ষেপপথ নিৰ্ণয় কৰা।

(c) Solve the simultaneous linear differential equations  $\frac{dx}{dt} = -py$  and

 $\frac{dy}{dt} = px$  and show that the point (x, y) lies on a circle.

 $\frac{dx}{dt} = -py$  আৰু  $\frac{dy}{dt} = px$ ; অৱকল সমীকৰণটো সমাধান কৰা আৰু দেখুওৱা যে (x, y) বিন্দুটো এটা বৃত্তত থাকিব।

(d) Solve by reducing to exact differential equation

$$xydx + (2x^2 + 3y^2 - 20)dy = 0$$

 $xydx + (2x^2 + 3y^2 - 20)dy = 0$  সমীকৰণক যথাৰ্থ অৱকল সমীকৰণলৈ সমানীত কৰি সমাধান কৰা।

6

(e) Solve the Bernoulli's equation:

$$x\frac{dy}{dx} + y = y^2 \log x$$

वार्तानीब সমीकबनरों সমাধান कबा :

$$x\frac{dy}{dx} + y = y^2 \log x$$

(f) Solve  $x^2 \frac{d^2y}{dx^2} - 3x \frac{dy}{dx} + 4y = 0$ , given that  $y = x^2$  is one of the solution.

$$x^2 \frac{d^2y}{dx^2} - 3x \frac{dy}{dx} + 4y = 0$$
 অৱকল সমীকৰণটো সমাধান কৰা, য'ত সমীকৰণটোৰ এটা সমাধান  $y = x^2$ .

- 4. Answer the following: (any four) 10×4=40 তলত দিয়া প্ৰশ্নবোৰৰ উত্তৰ দিয়া: (যিকোনো চাৰিটা)
  - (a) Solve by the method of variation of parameter:  $\frac{d^2y}{dx^2} y = \frac{2}{1 + e^x}$

প্ৰাচল বিচৰণ পদ্ধতিৰে সমাধান কৰা ঃ

$$\frac{d^2y}{dx^2} - y = \frac{2}{1 + e^x}$$

(b) Solve: 
$$\frac{d^4y}{dx^4} - y = x \sin x$$

সমাধান কৰা ঃ 
$$\frac{d^4y}{dx^4} - y = x \sin x$$

(c) Solve: 
$$\frac{dx}{dt} + \frac{dy}{dt} + 2x + y = 0$$

$$\frac{dy}{dt} + 5x + 3y = 0$$

সমাধান কৰা ঃ 
$$\frac{dx}{dt} + \frac{dy}{dt} + 2x + y = 0$$

$$\frac{dy}{dt} + 5x + 3y = 0$$

(d) Solve the exact differential equation:

$$x^{2} \frac{d^{2}y}{dx^{2}} + 3x \frac{dy}{dx} + y = \frac{1}{(1-x)^{2}}$$

যথাৰ্থ অৱকল সমীকৰণটো সমাধান কৰা ঃ

$$x^{2} \frac{d^{2}y}{dx^{2}} + 3x \frac{dy}{dx} + y = \frac{1}{(1-x)^{2}}$$

(e) Solve by reducing to normal form

$$\frac{d^2y}{dx^2} - 4x\frac{dy}{dx} + (4x^2 - 1)y = -3e^{x^2}\sin 2x$$

নৰ্মাল ৰূপলৈ সমানীত কৰি সমাধান কৰা ঃ

$$\frac{d^2y}{dx^2} - 4x\frac{dy}{dx} + (4x^2 - 1)y = -3e^{x^2}\sin 2x$$

(f) Show that the term  $\frac{1}{x(x^2-y^2)}$  is an

integrating factor of the differential equation  $(x^2 + y^2)dx - 2xy dy = 0$  and hence solve it.

দেখুওৱা যে 
$$(x^2+y^2)dx-2xy\ dy=0$$

সমীকৰণৰ এটা অনুকলন গুণক 
$$\dfrac{1}{x\left(x^2-y^2\right)}$$
 আৰু

সমাধান কৰা।

- (g) Solve the equation,  $4y = x^2 + p^2$ , where  $p = \frac{dy}{dx}$ 
  - সমাধান কৰা  $4y = x^2 + p^2$ , যত  $p \equiv \frac{dy}{dx}$
- (h) Discuss the method of solving a Bernoulli's equation of the form  $\frac{dy}{dx} + Py = Qy^n; \text{ where } P \text{ and } Q \text{ are constants as function of } x.$

এটা  $\frac{dy}{dx} + Py = Qy^n$  ৰূপৰ বাৰ্নোলীৰ সমীকৰণ সমাধান কৰাৰ পদ্ধতি আলোচনা কৰা, য'ত P আৰু Q হৈছে ধ্ৰুৱক বা x ৰ ফলন।

## **OPTION-B**

Paper: MAT-HG-3026 (Linear Programming)

- 1. Answer the following questions: (Choose the correct answer) 1×10=10
  - (a) A basic feasible solution whose variables are
    - (i) degenerate
    - (ii) non-degenerate
    - (iii) non-negative
    - (iv) None of the above
  - (b) The inequality constraints of an LPP can be converted into equation by introducing
    - (i) negative variables
    - (ii) non-degenerate B.F.
    - (iii) slack and surplus variables
    - (iv) None of the above

- (c) A solution of an LPP, which optimize the objective function is called
  - (i) basic solution
  - (ii) basic feasible solution
  - (iii) optimal solution
  - (iv) None of the above
- (d) Given a system of m simultaneous linear equations in n unknowns (m < n) the number of basic variables will be
  - (i) m
  - (ii) n
  - (iii) n-m
  - (iv) n+m
- (e) A simplex in n-dimension is a convex polyhedron having
  - (i) n-1 vertices
  - (ii) n vertices
  - (iii) n + 1 vertices
  - (iv) None of the above

- (f) At any iteration of the usual simplex method, if there is at least one basic variable in the basis at zero level and all  $z_j c_j \ge 0$  the current solution is
  - (i) infeasible
  - (ii) unbounded
  - (iii) non-degenerate
  - (iv) degenerate

 $(z_j, c_j)$  having usual meaning)

(g) Let  $X = \{x_1, x_2\} \subset \mathbb{R}^2$ . Then the convex hull C(X) of X is

(i) 
$$\{\lambda x_1 + (1-\lambda) x_2 : \lambda \geq 1\}$$

(ii) 
$$\{\lambda x_1 + (1-\lambda) x_2 : \lambda \leq 0\}$$

(iii) 
$$\{\lambda x_1 + (1-\lambda)x_2 : 0 < \lambda < 1\}$$

- (iv) None of the above
- (h) For given linear programming problem, if z is an objective function
  - (i)  $\max z = -\min z$
  - (ii)  $\operatorname{Max} z = \operatorname{Min} (-z)$
  - (iii) Max (-z) = Max z
  - (iv) None of above

(i) The set 
$$\{(x_1, x_2): x^2_1 + x^2_2 \le 1\}$$
 is a

- (i) open set
- (ii) closed set
- (iii) neither open nor closed
- (iv) open and closed both
- (i) In linear programming problem
  - objective function, constraints and variables are all linear
  - (ii) only objective function to be linear
  - (iii) only constraints are to be linear
  - (iv) only variables are to be linear

# 2. Answer the following: 2×5=10

- (a) A hyperplane is given by the equation  $3x_1 + 2x_2 + 4x_3 + 7x_4 = 8$ , find in which half space do the point (-6, 1, 7, 2) lie.
- (b) Prove that  $x_1 = 2$ ,  $x_2 = -1$  and  $x_3 = 0$  is the system of equations

$$3x_1 - 2x_2 + x_3 = 8$$

$$9x_1 - 6x_2 + 4x_3 = 24$$

(c) Write the dual of the following primal problem:

$$Minimize Z = 3x_1 + 5x_2$$

subject to 
$$3x_1 + 5x_2 = 12$$

$$4x_1 + 2x_2 = 10$$

with 
$$x_1, x_2 \ge 0$$

(d) In a two-person Zero-sum game, the pay-off matrix is given by

		. <i>B</i>	•		
		Ι	II	III	
A	I	6	8	6	
	II	4	12	2	

Find its saddle points.

(e) Show that the linear function  $Z = C X, X \in \mathbb{R}^n, C \in \mathbb{R} \text{ is a convex function.}$ 

- 3. Answer any four of the following: 5×4=20
  - (a) Solve graphically the following LPP:

Max. 
$$Z = 5x_1 + 7x_2$$

subject to 
$$x_1 + x_2 \le 4$$

$$3x_1 + 8x_2 \le 24$$

$$10x_1 + 7x_2 \le 35$$

$$x_1, x_2 \ge 0$$

(b) Find all basic feasible solutions of the system of equations

$$x_1 + 2x_2 + 3x_3 + 4x_4 = 7$$

$$2x_1 + x_2 + x_3 + 2x_4 = 3$$

- (c) Prove that the set of all convex combinations of a finite number of points  $x_1, x_2, x_3, \dots, x_n$  is a convex set.
- problem itself.

(e) Solve the following transportation problem using North-West corner method whose cost matrix is given below:

Source	$D_1$	$D_2$	$D_3$	$D_4$	Supply
S <sub>1</sub>	7	10	14	8	30
$S_1$ $S_2$	7	11	12	. 6	40
	5	8	15	9	30
S <sub>3</sub>	20	20	25	35	
Demand		L		L	

(f) The pay-off matrix of a game is given below. Find the solution of the game to A and B.

				B	; 	
		ī	II	Ш	IV	V
	T	-2	0	0	5	3
A	- <del></del>	3	2	1	2	-2
	<del>-</del> #	<u>-4</u>	-3	0	-2	6
	IV IV	5	3	-4	2	-6
	IV	-5	3	-4		

- Answer any four questions:  $10 \times 4 = 40$ 
  - Old hens can be bought for Rs. 2 each but young ones cost Rs. 5 each. The old hens lay 3 eggs per week and the young ones 5 eggs per week, each being worth 30 paise. A hen costs Re. 1 per week to feed. If I have only Rs. 80 to spend for hens, how many of each kind shall I buy to give a profit of more than Rs. 6 per week, assuming that I can not house more than 20 hens? Formulate the LPP and solve by graphical method.
  - Prove that if either the primal or the dual problem of an LPP has a finite optimal solution, then the other problem also has a finite optimal solution.Furthermore, the optimal values of the objective function in both the problems are the same, i.e.

$$\operatorname{Max} Z_{x} = \operatorname{Max} Z_{w}$$

18

Solve the following assignment problem: **Projects** 

		A	В	C	D
	I	12	10	10	8
Engineer	II	14	Not suitable	15	11
Dignicor	Ш	6	10	16	4
	IV	8	10	9	7

(d) Use simplex method to solve the LPP Max Z = 4x + 10ysubject to the constraints

$$2x + y \le 50$$
$$2x + 5y \le 100$$
$$2x + 3y \le 90$$
$$x, y \ge 0$$

Use the two-phase simplex method to solve Max  $Z = 5x_1 - 4x_2 + 3x_3$ subject to the constraints

$$2x_1 + x_2 - 6x_3 = 20$$

$$6x_1 + 5x_2 + 10x_3 \le 76$$

$$8x_1 - 3x_2 + 6x_3 \le 50$$

$$x_1, x_2, x_3 \ge 0$$

(f) Solve the game whose pay-off matrix is

$$\begin{bmatrix} -1 & -2 & 8 \\ 7 & 5 & -1 \\ 6 & 0 & 12 \end{bmatrix}$$

- If in an assignment problem, a constant is added or subtracted to every element of a row (or column) of the cost matrix  $[c_{ij}]$ , then prove that an assignment which minimizes the total cost for one matrix, also minimizes the total cost for the other matrix.
- (h) (i) What is game theory?
  - (ii) Describe a two-person zero-sum game. Also mention any two basic assumptions in it.
  - (iii) Explain the following terms
    Optimal strategy, Pay-off matrix.