2018

CHEMISTRY

(Major)

Paper: 3.2

(Chemical Bonding)

Full Marks: 60

Time: 3 hours

The figures in the margin indicate full marks for the questions

1. Answer the following as directed:

 $1 \times 7 = 7$

(a) In a face centered cubic lattice, atom A occupies the corner position and atom B occupies the face centered position. If one atom B is missing from one of the face centered points, the formula of the compound is _____.

(Fill in the blank)

- (b) PCl₅ undergoes
 - (i) sp^3d_{xy} hybridization
 - (ii) $sp^3d_{x^2-y^2}$ hybridization
 - (iii) $sp^3d_{z^2}$ hybridization
 - (iv) sp^3d_{zx} hybridization (Choose the correct answer)

A9/90

(Turn Over)

- (c) What type of intrinsic defect would you expect to find in MgO and CdTe?
- (d) Why is boiling point of NH₃ higher than PH₃?
- (e) Which of the following can be expected to be more soluble in water?

NaClO₄ or KClO₄

- (f) What is the angle (degree) between [1 1 1] and [1 1 2] directions in a cubic crystal?
- (g) What is the coordination number of Ti⁴⁺ ion in perovskite structure? Name three compounds with such a structure.
- 2. Answer the following:

 $2 \times 4 = 8$

(Continued)

- (a) What do you mean by the term 'hypervalence' in polyatomic molecules?
- (b) Metallic sodium adopts a bcc structure with density 970 kg m⁻¹. What is the length of the unit cell?
- (c) An organic compound crystallizes in an orthorhombic system with two molecules per unit cell. The unit cell dimensions are 12.05 Å, 15.05 Å and

2.69 Å. If the density of the crystal is 1.419 g cm⁻³, calculate the molar mass of the organic compound.

(d) Explain the trends in bond angles and bond lengths of the following ions:

	X—O (pm)	O—X—O (°)
C10 ₃	149	107
BrO ₃	165	104
IO ₃	181	100

- 3. Answer any three of the following: 5×3=15
 - (a) How many LCAOs are possible for four 1s orbitals? Draw and arrange these MOs for hypothetical linear H₄ and square H₄ molecules in order of increasing energy. Also comment on the magnetic behavior of the molecules.

1+3+1=5

(b) What do you mean by Fermi level? What is the forbidden energy gap? How does it occur? What is its magnitude for Ge and Si?
1+2+2=5 (c) The stronger the intermolecular attractions, the greater the boiling point of a molecular substance. Explain the trend in boiling points of the halogens:

and the state of	F ₂	Cl ₂	Br ₂	I ₂
Boiling point (K)	85	238	332	457

- (d) What are Miller indices? Determine the Miller indices of a plane that makes intercepts of 4 Å, 3 Å and 8 Å on the coordinate axes of an orthorhombic lattice with the ratio of the axial lengths as a:b:c=2:3:1.
- **4.** Answer any three of the following: $5\times3=15$
 - (a) Draw the MO energy level diagram of CO molecule. Why is the bond length of CO⁺ less than that of CO? 3+2=5
 - (b) What is lattice enthalpy? How can the relative stabilities of different oxidation states in solids be predicted on the basis of lattice enthalpies? Arrange the following ionic solids in order of their increasing lattice enthalpies: 1+3+1=5

LiCl, NaCl, KCl

(c) Giving suitable examples, discuss the correlation among bond order, bond angle and bond strength.

5

- (d) When propanone and trichloromethane are mixed, a hydrogen bond is formed between the two molecules, although no hydrogen bonding exists in either of the pure liquids.
 - (i) Explain why there is no hydrogen bond in either propanone or trichloromethane when the liquids are pure.
 - (ii) Suggest a reason why hydrogen bonds are formed when the two liquids are mixed. 2½+2½=5
- (e) Compare the following pairs of molecules with respect to the parameters cited within the parenthesis:

1×5=5

- (i) Benzene and Pyridine (resonance energy)
- (ii) SiCl₄ and CCl₄ (bond length)
- (iii) CH3Cl and CHCl3 (dipole moment)

- (iv) CO and N₂ (bond dissociation energy)
- (v) SOCl₂ and SOF₂ (halogen-S-halogen angle)
- **5.** Answer any three of the following: $5 \times 3 = 15$
 - (a) Solid phosphorous pentachloride is an ionic solid composed of PCl₄ cations and PCl₆ anions, but the vapour is molecular. What are the shapes of the ions in the solid? Predict the shape of the following molecules/ions: 2+3=5


HCP, SeF₃⁺, NH₂⁻

- (b) The solubility and stability of ionic solids largely depend upon their lattice energies. Explain giving suitable examples.
- (c) Write notes on the following: $2\frac{1}{2} \times 2 = 5$
 - (i) Spinel
 - (ii) Volume occupied in ccp arrangement

(d) What is Hückel's rule of aromaticity?

Does an aromatic molecule need to have conjugation and resonance? Identify the aromatic and non-aromatic species from the following:

2+1+2=5



**